

# IDBAIEXX66

Network bay 19 inches Width 600mm and depth 600mm

**GENESIA**  
POWERED BY ID CABLES

**ID**  
CABLES



## BENEFITS

- Elegant design and reinforced structure able to support a static load of up to 600 kg
- 19-inch front/rear numbered amount and with automatic ground connection
- Top and bottom cable entry (adjustable) protected by rubber to prevent damage to the cables
- Removable and lockable side panels

## PRODUCT INFORMATION

### APPLICATION

The 19-inch IDBAIExx66 bays have an elegant design and a reinforced structure allowing a static load of up to 600 kg.

The windows are equipped with a 4mm tempered glass front door with a three-point key lock, the rotation is done by removable hinges that facilitate the removal of the door.

The side panels can also be easily removed and locked with a key.

The cable entry is made from the top or bottom through dedicated openings measuring 300mmx200mm.

### FEATURES




Color:  
black RAL9005



Protection index:  
IP20

# SCHEMES AND DIMENSIONS




REF	H (MM)	W (MM)	D (MM)	WEIGHT
IDBAIE2666	1292	600	600	67 kg
IDBAIE3266	1561	600	600	70 kg
IDBAIE3766	1782	600	600	75 kg
IDBAIE4266	2004	600	450	102 kg

## RELATED PRODUCTS

### ACCESSOIRES

REF	DESIGNATION
IDPLFIX1U250	FIXED SHELF 1U P250
IDPASSF1U	BRUSH CABLE PASS-THROUGH 1U
IDGUIDC1U	CABLE PASS-THROUGH 1U 4 HOOKS
IDOB1U	BLANK PANEL 19" 1U
IDALIM8I	ALUMINUM POWER STRIP 19" 8 OUTLETS + SWITCH
IDALIM8	ALUMINUM POWER STRIP 19" 8 OUTLETS



## ORDER INFORMATION

REF	NAME	DESIGNATION	LOAD CAPACITY
IDBAIE2666	26U	BAY 26U 600×600 glass front door	600 kgs
IDBAIE3266	32U	BAY 32U 600×600 glass front door	600 kgs
IDBAIE3766	37U	BAY 37U 600×600 glass front door	600 kgs
IDBAIE4266	42U	BAY 42U 600×600 glass front door	600 kgs